

R. No.: 50 /2016



For official use only

TIMELY REPORTING SCHEME



**TAMILNADU
2014-15
FASLI YEAR 1424**

**Principal Secretary/ Commissioner
Department of Economics and Statistics**

PREFACE

Timely Reporting Scheme being one of the component of "Improvement of Agricultural Statistics", is implemented in Tamil Nadu as a centrally sponsored scheme fully funded by Government of India with the aim of estimating the area under nine principal crops and the Land use pattern in the state.

This report contains results of the survey conducted during the year 2014-15. It provides details of estimated area under nine principal crops for three seasons viz. Kharif, Rabi and summer and also the land use statistics for the year 2014-15. These estimates of area under nine Principal Crops are facilitating timely and quick release of results by the Government of India for each season. The estimates are based on 20 percent sample villages and results compared with the final figures arrived at through Jamabhanti by the end of the fasli year.

The co-operation extended by Revenue officials particularly Village Administrative Officers for the timely publication of this report is gratefully acknowledged. The strenuous efforts put forth by the Deputy Directors of Statistics and their field staffs in the districts for the timely completion are commended. The Staff and Officers in the Head Quarters who have involved in tabulation, analysis and report writing deserve appreciation.

Suggestions for improvement of this report are welcome.

Place : Chennai-6.

Date : 29.06.2016

Sd/- V.IRAIANBU

Principal Secretary/Commissioner.

CONTENTS

	Page No
1. INTRODUCTION	1-2
2. PLAN OF WORK	3-4
3. ESTIMATION PROCEDURE	5-6
4. RESULTS	7
5. FINDINGS	8-15
6.1 STATUS REPORT	16
6.2 TABLES - ESTIMATES OF AREA UNDER NINE PRINCIPAL CROPS FOR ALL THE THREE SEASONS FOR THE YEAR 2014 – 15	17-25
6.3 TABLES - ESTIMATES OF AREA UNDER NINE PRINCIPAL CROPS AND THEIR SAMPLING ERROR	26-28
6.4 TABLES - ESTIMATES OF AREA OF LAND USE STATISTICS	29
6.5 TABLES - DISTRICT WISE ESTIMATES OF AREA AS PER TIMELY REPORTING SCHEME AND SEASON CROP REPORT	30-32
6.6 CHARTS - CROP WISE AREA AS PER TIMELY REPORTING SCHEME (ESTIMATES) AND SEASON AND CROP REPORT FIGURES FOR 10 YEARS	33-41

TIMELY REPORTING SCHEME

1. INTRODUCTION

1.1 GENESIS OF THE SURVEY

The Timely Reporting scheme was introduced in Tamil Nadu during the year 1972-73 as a Centrally Sponsored Scheme for the purpose of Timely Assessment of Area sown under nine Principal crops viz., Paddy, Jowar, Bajra, Ragi, Cotton, Groundnut, Sugarcane, Potato and Onion at a particular period of time when it was keenly felt while formulating Agriculture Policies and Programmes both at State and Central level. At the initial stage, this scheme was implemented in all the districts of Tamil Nadu (excluding Chennai, The Nilgiris and Kanyakumari Districts). Subsequently, the scheme was extended to The Nilgiris and Kanyakumari districts excluding Chennai district in the year 1974 -75 and is being continued thereafter every year. Apart from area statistics under 9 principal crops, particulars of area under Land utilization were also collected from the Timely Reporting Scheme villages since 1980-81 in order to send quick estimates of area and Land use statistics to Government of India. Considering the importance of Page 1 the scheme, the Government of Tamil Nadu declared TRS as a programme of National importance in the year 2002-03 vide G.O.M.S.No.97, Dt:16.08.2002.

1.2 FINANCIAL ASSISTANCE & ORGANISATION

The entire cost of the scheme was met by the Government of India upto the year 1978-79. Subsequently, it was restructured as a shared scheme between state and central government on 50:50 basis. From the year 2003-04 centrally sponsored schemes (i)TRS, (ii) ICS, (iii)CES on F&V have been merged into one umbrella type scheme namely **"Improvement of Agricultural Statistics"** as its components. At state level the execution and administration of the scheme are vested with the Department of Economics and Statistics, of states concerned. In Tamil Nadu state, it is under the control of the Principal Secretary/Commissioner of Economics and Statistics. Now, again from the year 2007-08, Government of India has fully funded for this scheme.

2. PLAN OF WORK

Out of 17289 revenue villages, 3482 villages were selected during the year 2014-15 as 20 percent sampling and the list was communicated well in advance to all Tahsildars and Deputy Directors of Statistics of the districts. The Village Administrative Officers of those selected villages were requested to assemble at the Taluk Office with relevant records on 28th October, 28th January and 28th March for Kharif, Rabi and summer seasons respectively and furnish the relevant data on area sown under 9 important crops during the months of the concerned season.

The filled in schedules thus collected were verified with the related village records and forwarded to the Department of Economics and Statistics within the prescribed cut off dates. The data thus collected were scrutinized, tabulated and analysed. The estimates of area under 9 principal crops were prepared at the Head Quarters and sent to the Economic and Statistical Advisor, Government of India, New Delhi and to the State Government. Land utilization particulars for the year 2014-15 were also collected and estimates were prepared at the Head Quarters and sent to the Economic and Statistical Advisor, Government of India, New Delhi and to the State Government.

2.1 PERIOD OF AREA ENUMERATION

The period covered for each season and the date of completion of area enumeration are furnished in the statement given below:

Season	Months	Duration (No. of months)	Date Of Completion Of Area Enumeration
1. Kharif	July	4	25 th October
	to		
2. Rabi	October	3	25 th January
	November		
	to		
3. Summer	January	2	25 th March
	February		
	and		
	March		

3. ESTIMATION PROCEDURE

Based on the 20 Percent sample data, total area for each of the principal crops for each season for the year 2014-15 were estimated by adopting unbiased sampling method.

UNBIASED ESTIMATES

The formula adopted for estimating the area and its sampling error is given below.

Let L be the number of blocks (Stratum) in a district. In the i^{th} stratum ($i = 1, 2, 3, 4, \dots, L$) let there be N_i villages, out of which n_i are selected for estimation of area under principal crops.

Let the area under a principal crop in j^{th} selected village ($j = 1, 2, \dots, n_i$) of the i^{th} stratum be x_{ij} under a crop.

Where,

$$P_i = \frac{A_i}{x_i} \sum_{j=1}^{n_i} x_{ij}$$

P_i = Estimated area for the i^{th} stratum where ($i = 1, 2, 3, \dots, L$) and L is the number of blocks in each district.

A_i = Geographical area in i^{th} Stratum

X_i = Geographical area of the selected villages in the i^{th} Stratum

X_{ij} = Area under principal crop in the j^{th} village of the i^{th} Stratum.

The estimate of the area under crop for the entire district (d) will be

$$Pd = \sum_{i=1}^n P_i$$

Where n = No. of blocks in a district

4. RESULTS

4.1 ESTIMATES OF AREA

The estimates of area relating to Paddy, Jowar, Bajra, Ragi, Cotton, Sugarcane, Groundnut, Potato and Onion were worked out separately for all three seasons. Crop-wise estimates of area for (a) Kharif (b) Kharif and Rabi (c) Kharif, Rabi and summer seasons for the year 2014-15 are presented in Table No. 6.2 of the Annexure.

4.2 SAMPLING ERROR

District-wise / Crop-wise area related to Kharif, Rabi, and Summer and their sampling errors are furnished in Table No-6.3 of the Annexure.

4.3 LAND USE STATISTICS

Data relating to Land Use Statistics under nine-fold classification were collected from the village records under Timely Reporting Scheme. Based on these data, estimates of area under nine-fold classification were projected and the data furnished in Table No.6.4 of the Annexure.

5. FINDINGS

5.1 COMPARISON OF ESTIMATES WITH SEASON AND CROP REPORT FIGURES

The area estimates under Timely Reporting Scheme in respect of the 9 Principal Crops for the year 2014-15 are compared with the final figures of Season and Crop report 2014-15 in the following Table.

(In' 00 hec.)

CROP	TRS	S&C	%
PADDY	18999 ✓	17949 ✓	5.85 ✓
JOWAR	4556 ✓	4151 ✓	9.76 ✓
BAJRA	552 ✓	577 ✓	-4.33 ✓
RAGI	1375 ✓	1044 ✓	31.70 ✓
COTTON	2479 ✓	1867 ✓	32.78 ✓
GROUNDNUT	3734 ✓	3365 ✓	10.97 ✓
SUGARCANE	3475 ✓	2739 ✓	26.87 ✓
POTATO	32 ✓	47 ✓	-31.91 ✓
ONION	371 ✓	281 ✓	32.03 ✓

The above table indicates that the estimates of area for Nine Principal Crops under Timely Reporting Scheme for the year 2014-15 in TamilNadu have shown a higher side for almost all the crops, excepting Bajra and Potato crops.

A large variation is noticed in the area of Cotton (32.78%), Onion (32.03%) & Ragi (31.7%) when comparing the area of Season and Crop report.

Similarly Sugarcane, Groundnut and Jowar are also showed an increased percentage of variation at **26.87, 10.97 and 9.76** respectively.

5.2 DISTRICT WISE ESTIMATES – A CROP WISE COMPARISON WITH SEASON AND CROP REPORT

1. Paddy

Paddy is the most important cereal crop cultivated in 18.99 lakh hectares of area during 2014-15. The major paddy growing districts are Thanjavur (10.04%), Nagapattinam (9.17%), Thiruvarur (9.08%), and Cuddalore (7.82%), Tirunelveli (7.52%) and Villupuram (7.05%), which account for nearly 50.7% of the total Paddy area of the State. About 62% of the area under the crop was covered in Kharif season alone.

District wise estimates of area as per Timely Reporting Scheme and Season & Crop report are presented in Table 6.5. Compared to Season and Crop report, the estimated area of Paddy for the state under TRS was higher. The State level average variation is 5.85%.

The increased percentage variation is as high as 68.35 in Tirunelveli District and it is low with 2.17% in Dharmapuri District. The decreased percentage variation of -2.60 is high in Thanjavur District and -58.45% low in Coimbatore District.

2. Jowar

Jowar is another cereal crop grown in 4.5 lakh hectares of area in the year 2014-15. The area covered under the crop is more in Namakkal (17.54%) followed by Dindigul (12.34%) and Salem (10.27%) districts. These three districts alone contributed a share of nearly 40.14% to the total area of the crop in the state.

District wise estimates of area as per Timely Reporting Scheme and Season & Crop report are presented in Table 6.5. Compared to Season and Crop report, the variation of area under TRS was 9.76%.

The highest percentage variation is noticed with 119.92 in Tiruvanamalai District and it is low with 4.50% in Ramanathapuram District. The decreased percentage variation -0.6% is high in Thiruchirapalli District and -19.88 % low in Coimbatore District.

3. Bajra

Bajra was grown in 0.55 lakh hectares of area during 2014-15 which is comparatively less in the state. The major ^{Bajra} growing districts are Thoothukudi (26.45%), Villupuram (19.20%), Virudhunagar (7.97%), and Thiruvannamalai (7.78%) which put together contribute 61.4% to the total Bajra area of the State. It is significant to note that about 63.22% of the area under the crop was covered in Kharif season alone.

Compared to Season and Crop report, the estimated area of Bajra for the state under TRS is lower. The State level average variation is ^{-4.33%} -4.35%. The details of district wise variations are provided in table 6.5.

The inflated percentage variation of 126.65 is high in Salem District and 5.15% low in Dindugul District. The deflated percentage variation of -18.70% is high in Theni District and -47.78% low in Thiruvallur Districts.

4. Ragi

Ragi was grown in 1.37 lakh hectares in the State during the year under report. It is largely grown in Krishnagiri (45.82) and followed by Dharmapuri (14.55%), Vellore (11.71%) and salem (9.60%) districts in the State. These 4 districts alone contribute 81.67% of cropped area of the ragi crop. About 67.56% of the area under the ragi crop was covered exclusively in Kharif season itself.

Area estimated under the crop by Timely Reporting scheme was higher compared to the Season and Crop report. A comparison with Season and Crop report reveals the state level variation of area under TRS was ^{31.70%} 31.67%. District wise estimates of area as per Timely Reporting Scheme & Season and Crop report are shown in Table 6.5

The increased percentage variation of 107.04 is found to be high in Erode District and 10.29% low in Sivagangai District. The decreased percentage variation of -6.98 is identified as high in Kancheepuram and -63.06% low in Villupuram districts.

5. Cotton

Cotton is an important cash crop largely grown in Perambalur(18.76%), Thiruvannamalai (10.45%), Dharmapuri (8.59%), Salem (7.46%), Tiruchirapali (6.29%), Virudhunagar(5.97%), Theni(5.45%) and Villupuram (5.04%) districts . In the State, 2.47 lakh hectares of area was covered under the cotton crop during 2014-15.

Compared to Season and Crop report, it is to be noted that the state level variation of area under TRS is 32.78%. District wise estimates of area as per Timely Reporting Scheme and Season & Crop report are presented in Table 6.5.

The increased percentage variation of 372.52 is very much high in Theni District and 10.91 % low in Sivagangai District. The decreased percentage variation of -9.74% is high in Tiruchirapalli District and - 30.23% low in Thiruppur District.

6. Groundnut

Groundnut is a prominent oil seed crop grown in about 3.73 lakh hectares in the State. It is of interest to note that about 59.7% of the area under the crop was covered in Kharif season alone. Predominant groundnut growing districts are Thiruvannamalai (20.27%), Vellore (14.25%) and Villupuram (10.79%), which accounted for 45.31% of the State.

Compared to Season and Crop report, the state level variation of area under TRS is 10.96%. District wise estimates of area as per Timely Reporting Scheme and Season & Crop report are detailed in Table 6.5

The increased percentage variation of 295.15 is noticed to be high in Theni District and 0.13% low in Karur District. The decreased percentage variation of -1.76 is high in Krishnagiri District and -22.15% low in Madurai District.

7. Sugarcane

Out of 3.47 lakh hectares of area under the crop, a considerable portion of 24.17% of cropped area is found in the villupuram district alone. The other important sugarcane growing districts in the State are Cuddalore (17.01%), Erode (10.94%) and Thiruvannamalai (8.55%).

District wise details of estimates are shown in table 6.5. The State average variation of 26.86% is calculated against Season and Crop report.

The increased percentage variation of 142.09 is comparatively high in Krishnagiri District and 1.83% low in Madurai district. The decreased percentage variation of -0.29 is high in Namakkal District and -97.40% low in Ramanathapuram District.

8. Potato

Potato is cultivated in 3200 hectares of area during 2014-15 which is comparatively minimum in the State. It is largely grown in Dindigul (25%), Krishnagiri (21.87%), Erode (18.75%), Villupuram (9.37%) and Kanyakumari (9.37%) districts in the State. These 5 districts together contribute 84.37% of cropped area of the potato crop.

Area estimated under the crop by Timely Reporting scheme is very much low compared to the Season and Crop report. The state level variation of area under TRS is -32.45%.

About 78.12% of the area under the crop was covered in Kharif season alone. District wise estimates of area as per Timely Reporting Scheme and Season & Crop report are provided in Table 6.5. The increased percentage variation of 59.15 is relatively high in Erode. The decreased percentage variation of -35.19 is high in Krishnagiri and -75.31% is Low in Kanyakumari districts.

9. Onion

Onion was grown in the minimum area of 0.37 lakh hectares during 2014-15 in the state. The major Onion growing districts are Perambalur (18.06%), Thiruchirapalli (10.51%), Theni (9.16%), Erode (7.82%), Dindigul (7.82%), and Tiruppur (7.55%) which account for 60.92% of the total onion area of the State. Area estimated under the crop by Timely Reporting scheme was ^{higher} ~~lower~~ compared to the Season and Crop report. The state level variation of area under TRS is 32%. %.

District wise estimates of area as per Timely Reporting Scheme and Season & Crop report are presented in Table 6.5. The increased percentage variation of 279.75 is very much high in Krishnagiri District and it is slightly low in Perambalur district with 4.28%.


The decreased percentage variation of -9.04 is high in Namakkal District and -78.96% low in Tirunelveli District.

5.3 COMPARISON OF NINE FOLD CLASSIFICATION ESTIMATES WITH SEASON AND CROP REPORT FIGURES 2014-15.

The area estimates under Timely Reporting Scheme for current fallow lands was 110319 as against the area of 1115041 hectares recorded in the season and crop report, registering a substantial ~~decrease~~ of -1.1. On the other hand, the estimates pertaining to other fallow lands under TRS show the area of 1723569 hectares as presented in the season and crop report, indicating a moderate increase of ^{0.6} ~~-0.6~~ percent. A decrease is noted in the net area sown as ^{0.4} ~~-0.4~~ %.

(area in hect)

Category	TRS	Season & Crop Report (2013-14) Export Data	% Variation
Forest	2125175 ✓	2125175 ✓	0.0 ✓
Barren and uncultivable land	488927	488460	0.1 ✓
Land put to non-agricultural uses	2187766	2173078	0.7 ✓
Cultivable waste	334753	328326	2.0 ✓
Permanent pastures and other grazing lands	110030	109567	0.4 ✓
Miscellaneous tree crops and groves not included in the net area sown	241077	244678	-1.5 ✓
Current fallow Lands	1103191	1115041	-1.1 ✓
Other fallow lands	1728569	1717831	0.6 ✓
Net area sown	4696530	4713862	-0.4 ✓
Total geographical area	13016018	13016018 ✓	0.0



Conclusion:

The area estimates framed under Timely Reporting Scheme help us to have the area sown at particular point of time. These estimates are used to get the advanced estimates of food production and from these we can formulate agricultural policies and development programmes at State and Nation levels.

Thus, Timely Reporting Scheme achieved its object by providing advance information on area under nine principal crops with season wise fairly representative estimates during 2014-15.

**TIMELY REPORTING SCHEME
2014-15**

TABLES

6.1 STATUS REPORT

6.1 RESPONSE

Out of 17289 villages, 20 percent namely 3482 villages have been planned for the year 2014-15 and Schedules were received fully for Kharif, Rabi and Summer seasons within the cut off date.

STATEMENT SHOWING THE NUMBER OF VILLAGES SELECTED AND RECEIPT OF FORMS IN EACH SEASON

Year : 2014-15

S.NO	DISTRICTS	No of Villages Selected	Kharif		Rabi		Summer	
			Recived in Time	Received Late	Recived in Time	Received Late	Recived in Time	Received Late
2	KANCHEEPURAM	242	242	-	242	-	242	-
3	THIRUVALLUR	166	166	-	166	-	166	-
4	CUDDALORE	179	179	-	179	-	179	-
5	VILLUPURAM	297	297	-	297	-	297	-
6	VELLORE	169	169	-	169	-	169	-
7	THIRUVANNAMALAI	214	214	-	214	-	214	-
8	SALEM	129	129	-	129	-	129	-
9	NAMAKKAL	92	92	-	92	-	92	-
10	DHARMAPURI	93	93	-	93	-	93	-
11	COIMBATORE	60	60	-	60	-	60	-
12	ERODE	75	75	-	75	-	75	-
13	TIRUCHIRAPPALLI	102	102	-	102	-	102	-
14	KARUR	40	40	-	40	-	40	-
15	PERAMBALUR	30	30	-	30	-	30	-
16	THANJAVUR	182	182	-	182	-	182	-
17	THIRUVARUR	115	115	-	115	-	115	-
18	NAGAPATTINAM	104	104	-	104	-	104	-
19	PUDUKOTTAI	153	153	-	153	-	153	-
20	MADURAI	134	134	-	134	-	134	-
21	THENI	22	22	-	22	-	22	-
22	DINDIGUL	73	73	-	73	-	73	-
23	RAMANATHAPURAM	80	80	-	80	-	80	-
24	VIRUDHUNAGAR	119	119	-	119	-	119	-
25	SIVAGANGAI	105	105	-	105	-	105	-
26	TIRUNELVELI	122	122	-	122	-	122	-
27	THOOTHUKUDI	97	97	-	97	-	97	-
28	KANYAKUMARI	40	40	-	40	-	40	-
29	THE NILGIRIS	11	11	-	11	-	11	-
30	KRISHNAGIRI	125	125	-	125	-	125	-
31	ARIYALUR	41	41	-	41	-	41	-
32	THIRUPPUR	71	71	-	71	-	71	-
Total		3482	3482	-	3482	-	3482	-

TABLE -6.2

DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND ALL THE THREE SEASONS DURING THE YEAR 2014-15

CROP : PADDY**(In '00 hec)**

Sl. No.	District	Kharif Season					Kharif & Rabi seasons					Kharif, Rabi & Summer seasons				
		Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local
1	KANCHEEPURAM	291	9	300	299	1	563	11	574	275	299	585	11	596	298	298
2	THIRUVALLUR	595	66	661	661	0	803	126	929	267	662	932	130	1062	401	661
3	CUDDALORE	1266	2	1268	1267	1	1403	2	1405	138	1267	1484	2	1486	218	1268
4	VILLUPURAM	600	1	601	601	0	1189	3	1192	591	601	1337	3	1340	739	601
5	VELLORE	195	0	195	195	0	364	0	364	165	199	397	0	397	199	198
6	THIRUVANNAMALAI	349	4	353	353	0	892	10	902	549	353	1044	11	1055	701	354
7	SALEM	132	18	150	149	1	243	18	261	111	150	258	18	276	125	151
8	NAMAKKAL	23	5	28	28	0	65	6	71	43	28	73	6	79	50	29
9	DHARMAPURI	85	1	86	86	0	170	1	171	85	86	186	1	187	101	86
10	COIMBATORE	5	0	5	5	0	9	0	9	4	5	9	0	9	4	5
11	ERODE	384	0	384	384	0	491	0	491	108	383	510	0	510	127	383
12	THIRUCHIRAPPALLI	285	0	285	285	0	465	1	466	180	286	488	1	489	204	285
13	KARUR	92	0	92	92	0	122	0	122	30	92	123	0	123	31	92
14	PERAMBALUR	8	0	8	8	0	82	0	82	73	9	83	0	83	74	9
15	THANJAVUR	1253	0	1253	1235	18	1783	1	1784	550	1234	1907	1	1908	674	1234
16	THIRUVARUR	1607	0	1607	1607	0	1633	0	1633	25	1608	1725	0	1725	118	1607
17	NAGAPATTINAM	1457	147	1604	1604	0	1553	182	1735	132	1603	1561	182	1743	139	1604
18	PUDUKKOTTAI	419	67	486	485	1	689	103	792	306	486	705	103	808	323	485
19	MADURAI	123	0	123	123	0	442	0	442	319	123	463	0	463	340	123
20	THENI	93	0	93	93	0	206	1	207	115	92	208	1	209	116	93
21	DINDIGUL	23	0	23	23	0	174	0	174	151	23	203	0	203	181	22
22	RAMANATHAPURAM	397	482	879	879	0	495	636	1131	252	879	495	636	1131	252	879
23	VIRUDHUNAGAR	48	5	53	53	0	151	10	161	107	54	181	10	191	138	53
24	SIVAGANGAI	347	103	450	449	1	470	134	604	154	450	471	134	605	155	450
25	TIRUNELVELI	446	0	446	446	0	1404	0	1404	958	446	1428	0	1428	982	446
26	THOOTHUKUDI	3	0	3	3	0	122	0	122	119	3	122	0	122	119	3
27	KANNIYAKUMARI	106	0	106	106	0	206	0	206	100	106	206	0	206	100	106
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	85	6	91	91	0	187	6	193	89	104	220	6	226	122	104
30	ARIYALUR	93	8	101	100	1	200	10	210	109	101	204	10	214	114	100
31	TIRUPUR	41	0	41	41	0	125	0	125	85	40	125	0	125	85	40
STATE		10851	924	11775	11751	24	16701	1261	17962	6190	11772	17733	1266	18999	7230	11769

TABLE -6.2

**DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND
ALL THE THREE SEASONS DURING THE YEAR 2014-15**

CROP : JOWAR

Sl. No.	District	Kharif Season						Kharif & Rabi seasons						Kharif, Rabi & Summer seasons				(In '00 hec)
		Irrigated	Un-Irrigated	Total	High Yield	Local	Irrigated	Un-Irrigated	Total	High Yield	Local	Irrigated	Un-Irrigated	Total	High Yield	Total	Local	
1	KANCHEEPURAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	THIRUVALLUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	CUDDALORE	6	128	134	134	0	6	138	144	10	134	8	138	146	12	134	134	0
4	VILLUPURAM	27	22	49	49	0	50	25	75	26	49	56	25	81	32	49	49	0
5	VELLORE	1	94	95	95	0	2	95	97	1	96	3	95	98	2	96	96	0
6	THIRUVANNAMALAI	5	3	8	8	0	9	4	13	4	9	12	5	17	9	8	8	0
7	SALEM	106	215	321	321	0	182	269	451	130	321	190	278	468	147	321	321	0
8	NAMAKKAL	64	455	519	519	0	139	623	762	243	519	175	624	799	279	520	520	0
9	DHARMAPURI	8	178	186	186	0	12	178	190	5	185	13	178	191	5	186	186	0
10	COIMBATORE	3	177	180	180	0	6	215	221	41	180	7	221	228	47	181	181	0
11	ERODE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	THIRUCHIRAPPALLI	3	256	259	259	0	9	301	310	50	260	19	302	321	62	259	259	0
13	KARUR	24	183	207	207	0	42	197	239	32	207	57	197	254	46	208	208	0
14	PERAMBALUR	9	19	28	28	0	9	21	30	2	28	10	21	31	2	29	29	0
15	THANJAVUR	3	0	3	3	0	4	0	4	0	4	4	0	4	0	4	4	0
16	THIRUVARUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	NAGAPATTINAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	PUDUKKOTTAI	2	3	5	5	0	4	4	8	3	5	7	4	11	6	5	5	0
19	MADURAI	11	153	164	163	1	14	167	181	17	164	20	167	187	24	163	163	0
20	THENI	18	86	104	104	0	19	91	110	6	104	24	91	115	11	104	104	0
21	DINDIGUL	8	319	327	327	0	121	440	561	234	327	122	440	562	235	327	327	0
22	RAMANATHAPURAM	0	17	17	17	0	1	40	41	25	16	1	41	42	25	17	17	0
23	VIRUDHUNAGAR	0	143	143	143	0	1	210	211	68	143	2	210	212	69	143	143	0
24	SIVAGANGAI	1	1	2	1	1	1	1	2	1	1	2	1	3	1	2	2	0
25	TIRUNELVELI	24	0	24	24	0	24	1	25	1	24	24	1	25	1	24	24	0
26	THOOTHUKUDI	0	31	31	31	0	5	198	203	171	32	5	198	203	171	32	32	0
27	KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	5	72	77	77	0	9	79	88	10	78	10	82	92	14	78	78	0
30	ARIYALUR	10	85	95	95	0	10	85	95	0	95	10	85	95	0	95	95	0
31	TIRUPUR	2	293	295	295	0	4	356	360	66	294	11	357	368	73	295	295	0
STATE		340	2933	3273	3271	2	683	3738	4421	1146	3275	795	3761	4556	1276	3280	3280	0

TABLE -6.2

**DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND
ALL THE THREE SEASONS DURING THE YEAR 2014-15**

CROP : BAJRA

(In '00 hec)

Sl. No.	District	Kharif Season					Kharif & Rabi seasons					Kharif, Rabi & Summer seasons				
		Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local
1	KANCHEEPURAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	THIRUVALLUR	2	1	3	3	0	2	1	3	0	3	3	1	4	0	4
3	CUDDALORE	4	18	22	22	0	4	18	22	0	22	4	18	22	0	22
4	VILLUPURAM	22	76	98	98	0	27	76	103	5	98	27	79	106	7	99
5	VELLORE	4	29	33	33	0	4	29	33	0	33	4	29	33	0	33
6	THIRUVANNAMALAI	4	36	40	40	0	5	36	41	1	40	6	37	43	3	40
7	SALEM	4	19	23	23	0	5	19	24	0	24	5	20	25	1	24
8	NAMAKKAL	1	3	4	4	0	1	3	4	0	4	1	3	4	0	4
9	DHARMAPURI	3	2	5	5	0	4	3	7	2	5	4	3	7	2	5
10	COIMBATORE	0	2	2	2	0	0	2	2	0	2	0	2	2	0	2
11	ERODE	2	0	2	2	0	2	0	2	0	2	2	0	2	0	2
12	THIRUCHIRAPPALLI	1	23	24	24	0	1	23	24	0	24	1	23	24	0	24
13	KARUR	1	7	8	7	1	1	7	8	0	8	1	7	8	0	8
14	PERAMBALUR	1	0	1	1	0	1	0	1	0	1	1	0	1	0	1
15	THANJAVUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	THIRUVARUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	NAGAPATTINAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	PUDUKKOTTAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	MADURAI	1	7	8	8	0	3	11	14	5	9	4	11	15	6	9
20	THENI	2	9	11	11	0	2	9	11	0	11	3	9	12	1	11
21	DINDIGUL	1	6	7	6	1	1	9	10	3	7	1	9	10	3	7
22	RAMANATHAPURAM	0	10	10	10	0	1	22	23	12	11	1	22	23	12	11
23	VIRUDHUNAGAR	2	22	24	23	1	3	41	44	21	23	3	41	44	21	23
24	SIVANGAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	TIRUNELVELI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	THOOTHUKUDI	0	3	3	3	0	9	137	146	143	3	9	137	146	143	3
27	KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	2	4	6	6	0	2	4	6	0	6	2	4	6	1	5
30	ARIYALUR	2	3	5	4	1	2	3	5	0	5	2	3	5	0	5
31	TIRUPUR	0	10	10	10	0	0	10	10	0	10	0	10	10	0	10
STATE		59	290	349	345	4	80	463	543	192	351	84	468	552	200	352

TABLE -6.2

**DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND
ALL THE THREE SEASONS DURING THE YEAR 2014-15**

CROP : RAGI

(In '00 hec)

Sl. No.	District	Kharif Season					Kharif & Rabi seasons					Kharif, Rabi & Summer seasons				
		Irrigated	Un-irrigated	Total	High yield	Local	Irrigated	Un-irrigated	Total	High yield	Local	Irrigated	Un-irrigated	Total	High yield	Local
1	KANCHEEPURAM	1	0	1	1	0	1	0	1	0	1	2	0	2	2	0
2	THIRUVALLUR	0	0	0	0	0	3	0	3	3	0	9	0	9	9	0
3	CUDDALORE	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
4	VILLUPURAM	3	0	3	3	0	9	0	9	6	3	16	1	17	13	4
5	VELLORE	3	46	49	48	1	96	46	142	94	48	115	46	161	113	48
6	THIRUVANNAMALAI	5	5	10	10	0	46	10	56	46	10	81	11	92	82	10
7	SALEM	2	74	76	76	0	39	87	126	49	77	45	87	132	55	77
8	NAMAKKAL	0	3	3	3	0	0	3	3	0	3	0	3	3	0	3
9	DHARMAPURI	21	119	140	140	0	63	122	185	45	140	78	122	200	59	141
10	COIMBATORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	ERODE	0	117	117	117	0	0	117	117	0	117	0	117	117	0	117
12	THIRUCHIRAPPALLI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	KARUR	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0
14	PERAMBALUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	THANJAVUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	THIRUVARUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	NAGAPATTINAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	PUDUKKOTTAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	MADURAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	THENI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	DINDIGUL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	RAMANATHAPURAM	0	0	0	0	0	1	3	4	4	0	1	3	4	4	0
23	VIRUDHUNAGAR	0	1	1	1	0	0	2	2	1	1	0	2	2	1	1
24	SIVAGANGAI	0	0	0	0	0	1	2	3	2	1	1	2	3	2	1
25	TIRUNELVELI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	THOOTHUKUDI	0	0	0	0	0	0	1	1	1	0	0	1	1	1	0
27	KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	17	512	529	529	0	60	520	580	51	529	92	538	630	100	530
30	ARIYALUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	TIRUPUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE		52	877	929	928	1	320	913	1233	303	930	442	933	1375	442	933

TABLE -6.2

DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND ALL THE THREE SEASONS DURING THE YEAR 2014-15

CROP : COTTON

(In '000 hec)

Sl. No.		District	Kharif Season				Kharif & Rabi seasons				Kharif, Rabi & Summer seasons						
			Irrigated	Un- Irrigated	Total	High yield	Local	Irrigated	Un- Irrigated	Total	High yield	Local	Irrigated	Un- Irrigated	Total	High yield	Local
1		KANCHEEPURAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2		THIRUVALLUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3		CUDDALORE	6	65	71	71	0	6	81	87	16	71	6	81	87	16	71
4		VILLUPURAM	46	70	116	116	0	51	70	121	6	115	53	72	125	9	116
5		VELLORE	22	85	107	107	0	22	85	107	0	107	22	85	107	0	107
6		THIRUVANNAMALAI	3	249	252	252	0	10	249	259	6	253	10	249	259	7	252
7		SALEM	75	100	175	174	1	80	100	180	6	174	85	100	185	11	174
8		NAMAKKAL	3	13	16	16	0	4	13	17	1	16	6	13	19	2	17
9		DHARMAPURI	35	167	202	202	0	41	171	212	9	203	42	171	213	11	202
10		COIMBATORE	0	8	8	8	0	1	8	9	0	9	1	8	9	0	9
11		ERODE	1	0	1	1	0	7	0	7	6	1	16	0	16	15	1
12		THIRUCHIRAPPALLI	0	150	150	150	0	1	155	156	6	150	1	155	156	6	150
13		KARUR	1	0	1	1	0	2	0	2	1	1	2	0	2	1	1
14		PERAMBALUR	10	452	462	461	1	10	455	465	3	462	10	455	465	3	462
15		THANJAVUR	0	0	0	0	0	10	0	10	10	0	27	0	27	27	0
16		THIRUVARUR	3	0	3	3	0	3	0	3	0	3	57	0	57	54	3
17		NAGAPATTINAM	0	0	0	0	0	0	0	0	0	0	18	2	20	20	0
18		PUDUKKOTTAI	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
19		MADURAI	3	52	55	55	0	5	54	59	4	55	6	54	60	5	55
20		THENI	76	7	83	83	0	128	7	135	52	83	128	7	135	52	83
21		DINDIGUL	11	27	38	38	0	23	35	58	20	38	23	35	58	20	38
22		RAMANATHAPURAM	2	0	2	2	0	7	5	12	6	6	10	7	17	11	6
23		VIRUDHUNAGAR	15	93	108	108	0	22	118	140	32	108	30	118	148	40	108
24		SIVAGANGAI	0	1	1	1	0	3	2	5	4	1	4	2	6	4	2
25		TIRUNELVELI	17	68	85	85	0	25	82	107	21	86	29	82	111	25	86
26		THOOTHUKUDI	0	8	8	8	0	2	47	49	40	9	7	47	54	45	9
27		KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28		THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29		KRISHNAGIRI	11	24	35	35	0	13	26	39	4	35	13	26	39	4	35
30		ARIYALUR	0	93	93	93	0	0	97	97	4	93	0	97	97	4	93
31		TIRUPUR	3	0	3	3	0	6	0	6	3	3	6	0	6	3	3
STATE			343	1732	2075	2073	2	482	1860	2342	260	2082	613	1866	2479	396	2083

TABLE -6.2

DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND ALL THE THREE SEASONS DURING THE YEAR 2014-15

CROP : GROUNDNUT

(In '00 hec)

Sl. No.	District	Kharif Season				Kharif & Rabi seasons				Kharif, Rabi & Summer seasons			
		Irrigated	Un- Irrigated	Total	High yield	Local	Irrigated	Un- Irrigated	Total	Irrigated	Un- Irrigated	Total	High yield
1	KANCHEEPURAM	9	2	11	11	0	112	4	116	105	11	126	115
2	THIRUVALLUR	12	2	14	14	0	42	10	52	38	14	54	41
3	CUDDALORE	4	10	14	14	0	87	12	99	86	13	117	103
4	VILLUPURAM	56	189	245	245	0	197	195	392	147	245	403	158
5	VELLORE	14	471	485	484	1	61	471	532	47	485	532	47
6	THIRUVANNAMALAI	34	281	315	315	0	445	306	751	436	315	757	441
7	SALEM	20	184	204	204	0	46	197	243	38	205	249	45
8	NAMAKKAL	17	216	233	233	0	36	224	260	25	235	261	27
9	DHARMAPURI	30	50	80	80	0	58	52	110	29	81	112	32
10	COIMBATORE	3	42	45	45	0	4	42	46	1	45	46	1
11	ERODE	29	100	129	129	0	46	101	147	18	129	160	30
12	THIRUCHIRAPPALLI	8	58	66	66	0	24	64	88	23	65	90	25
13	KARUR	7	5	12	12	0	37	6	43	31	12	46	35
14	PERAMBALUR	9	1	10	10	0	16	1	17	8	9	18	9
15	THANJAVUR	2	0	2	2	0	71	0	71	70	1	82	81
16	THIRUVARUR	1	0	1	1	0	9	0	9	9	0	21	20
17	NAGAPATTINAM	0	0	0	0	0	4	17	21	21	0	22	22
18	PUDUKKOTTAI	6	8	14	14	0	26	18	44	30	14	46	32
19	MADURAI	1	11	12	12	0	7	12	19	6	13	20	7
20	THENI	36	20	56	56	0	37	38	75	19	56	75	19
21	DINDIGUL	6	25	31	31	0	50	36	86	55	31	87	57
22	RAMANATHAPURAM	0	0	0	0	0	5	36	41	41	0	41	41
23	VIRUDHUNAGAR	1	18	19	18	1	5	33	38	19	19	38	20
24	SIVAGANGAI	5	7	12	12	0	10	9	19	6	13	20	7
25	TIRUNELVELI	4	0	4	4	0	5	1	6	2	4	17	13
26	THOOTHUKUDI	1	0	1	1	0	1	1	2	1	1	3	2
27	KANNIYAKUMARI	0	1	1	1	0	0	1	1	0	1	1	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	17	82	99	99	0	29	84	113	14	99	122	23
30	ARIYALUR	21	9	30	30	0	62	11	73	43	30	75	46
31	TIRUPUR	0	83	83	83	0	8	84	92	9	83	93	10
STATE		353	1875	2228	2226	2	1540	2066	3606	1377	2229	3734	1509

TABLE -6.2

DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND ALL THE THREE SEASONS DURING THE YEAR 2014-15

CROP : SUGARCANE

(In '00 hec)

Sl. No.	District	Kharif Season					Kharif & Rabi seasons					Kharif, Rabi & Summer seasons				
		Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local
1	KANCHEEPURAM	13	0	13	13	0	20	0	20	8	12	23	0	23	10	13
2	THIRUVALLUR	67	0	67	67	0	68	0	68	1	67	70	0	70	3	67
3	CUDDALORE	543	0	543	543	0	579	0	579	35	544	591	0	591	48	543
4	VILLUPURAM	618	0	618	618	0	780	0	780	162	618	840	0	840	222	618
5	VELLORE	89	0	89	89	0	111	0	111	22	89	117	0	117	28	89
6	THIRUVANNAMALAI	179	0	179	179	0	236	0	236	57	179	297	0	297	118	179
7	SALEM	46	0	46	46	0	69	0	69	23	46	75	0	75	29	46
8	NAMAKKAL	106	0	106	106	0	148	0	148	42	106	168	0	168	62	106
9	DHARMAPURI	47	0	47	47	0	65	0	65	18	47	72	0	72	25	47
10	COIMBATORE	8	0	8	8	0	8	0	8	0	8	9	0	9	1	8
11	ERODE	298	0	298	298	0	347	0	347	49	298	380	0	380	81	299
12	THIRUCHIRAPPALLI	27	0	27	27	0	33	0	33	6	27	35	0	35	8	27
13	KARUR	17	0	17	17	0	19	0	19	2	17	20	0	20	4	16
14	PERAMBALUR	45	0	45	45	0	49	0	49	4	45	80	0	80	35	45
15	THANJAVUR	100	0	100	100	0	103	0	103	3	100	106	0	106	6	100
16	THIRUVARUR	5	0	5	5	0	5	0	5	0	5	9	0	9	4	5
17	NAGAPATTINAM	30	0	30	30	0	30	0	30	0	30	30	0	30	0	30
18	PUDUKKOTTAI	45	0	45	45	0	57	0	57	12	45	68	0	68	22	46
19	MADURAI	28	0	28	28	0	30	0	30	2	28	30	0	30	2	28
20	THENI	36	0	36	36	0	38	0	38	2	36	39	0	39	2	37
21	DINDIGUL	73	0	73	73	0	137	0	137	64	73	199	0	199	126	73
22	RAMANATHAPURAM	1	0	1	1	0	1	0	1	0	1	1	0	1	0	1
23	VIRUDHUNAGAR	23	0	23	23	0	24	0	24	1	23	24	0	24	1	23
24	SIVAGANGAI	34	0	34	34	0	35	0	35	1	34	35	0	35	1	34
25	TIRUNELVELI	18	0	18	18	0	25	0	25	7	18	27	0	27	9	18
26	THOOTHUKUDI	1	0	1	1	0	1	0	1	0	1	1	0	1	0	1
27	KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	8	0	8	8	0	10	0	10	2	8	13	0	13	5	8
30	ARIYALUR	101	0	101	101	0	101	0	101	0	101	102	0	102	0	102
31	TIRUPUR	13	0	13	13	0	14	0	14	2	12	14	0	14	2	12
STATE		2619	0	2619	2619	0	3143	0	3143	525	2618	3475	0	3475	854	2621

TABLE -6.2

DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND ALL THE THREE SEASONS DURING THE YEAR 2014-15

CROP : POTATO

(In '00 hec)

Sl. No.		District	Kharif Season				Kharif & Rabi seasons				Kharif, Rabi & Summer seasons						
			Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local
1		KANCHEEPURAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2		THIRUVALLUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3		CUDDALORE	0	1	1	1	0	1	1	0	1	0	1	1	0	1	1
4		VILLUPURAM	3	0	3	3	0	3	0	3	0	3	0	3	0	3	0
5		VELLORE	2	0	2	2	0	2	0	2	0	2	0	2	0	2	0
6		THIRUVANNAMALAI	1	0	1	1	0	1	0	1	0	1	0	1	0	1	0
7		SALEM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8		NAMAKKAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9		DHARMAPURI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10		COIMBATORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11		ERODE	6	0	6	6	0	6	0	6	0	6	0	6	0	6	0
12		THIRUCHIRAPPALLI	1	0	1	1	0	1	0	1	0	1	0	1	0	1	0
13		KARUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14		PERAMBALUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15		THANJAVUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16		THIRUVARUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17		NAGAPATTINAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18		PUDUKKOTTAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19		MADURAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20		THENI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21		DINDIGUL	7	1	8	8	0	7	1	8	0	8	7	1	8	0	8
22		RAMANATHAPURAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23		VIRUDHUNAGAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24		SIVAGANGAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25		TIRUNELVELI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26		THOOTHUKUDI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27		KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28		THE NILGIRIS	0	1	1	1	0	0	2	2	1	1	1	2	3	1	2
29		KRISHNAGIRI	2	0	2	2	0	7	0	7	5	2	7	0	7	6	1
30		ARIYALUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31		TIRUPUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE			22	3	25	25	0	27	4	31	6	25	28	4	32	7	25

TABLE -6.2

DISTRICTWISE ESTIMATES OF AREA UNDER PRINCIPAL CROPS FOR KHARIF SEASON,BOTH KHARIF & RABI SEASONS AND ALL THE THREE SEASONS DURING THE YEAR 2014-15

CROP : ONION

(In '000 hect)

Sl. No.	District	Kharif Season				Kharif & Rabi seasons				Kharif, Rabi & Summer seasons						
		Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local	Irrigated	Un-irrigated	Total	High Yield	Local
1	KANCHEEPURAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	THIRUVALLUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	CUDDALORE	0	0	0	0	0	1	0	1	0	1	1	0	1	1	0
4	VILLUPURAM	21	0	21	21	0	24	0	24	3	21	24	0	24	3	21
5	VELLORE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	THIRUVANNAMALAI	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0
7	SALEM	12	0	12	12	0	17	0	17	5	12	18	0	18	6	12
8	NAMAKKAL	10	0	10	10	0	17	0	17	7	10	17	0	17	7	10
9	DHARMAPURI	2	1	3	3	0	3	1	4	1	3	4	1	5	2	3
10	COIMBATORE	18	0	18	18	0	19	0	19	1	18	19	0	19	1	18
11	ERODE	12	0	12	12	0	26	0	26	15	11	29	0	29	17	12
12	THIRUCHIRAPPALLI	20	0	20	20	0	38	0	38	18	20	39	0	39	19	20
13	KARUR	2	0	2	2	0	3	0	3	2	1	3	0	3	2	1
14	PERAMBALUR	47	0	47	47	0	67	0	67	20	47	67	0	67	20	47
15	THANJAVUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	THIRUVARUR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	NAGAPATTINAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	PUDUKKOTTAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	MADURAI	2	0	2	2	0	4	0	4	2	2	4	0	4	2	2
20	THENI	27	0	27	27	0	33	0	33	6	27	34	0	34	7	27
21	DINDIGUL	11	0	11	11	0	28	0	28	17	11	29	0	29	17	12
22	RAMANATHAPURAM	0	0	0	0	0	0	3	3	3	0	0	3	3	3	0
23	VIRUDHUNAGAR	6	0	6	6	0	16	2	18	12	6	16	2	18	12	6
24	SIVAGANGAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	TIRUNELVELI	4	0	4	4	0	4	0	4	0	4	4	0	4	0	4
26	THOOTHUKUDI	0	0	0	0	0	0	24	24	24	0	0	24	24	24	0
27	KANNIYAKUMARI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	1	0	1	1	0	2	0	2	1	1	3	0	3	1	2
30	ARIYALUR	1	0	1	1	0	1	0	1	0	1	1	0	1	0	1
31	TIRUPUR	9	0	9	9	0	21	0	21	12	9	28	0	28	19	9
STATE		205	1	206	206	0	325	30	355	150	205	341	30	371	164	207

Timely Reporting Scheme
Estimated Area under Principal Crops and their Sampling Error
In '00" Hectares

State : Tamil Nadu			Season : Kharif										Year 2014 - 2015									
Sl. No	District	Paddy		Jowar		Bajra		Ragi		Cotton		Groundnut		Sugarcane		Potato		Onion				
		Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE			
1	KANCHEEPURAM	300	20.64	0	0	0	0	1	@	0	0	11	20.15	13	@	0	0	0	0			
2	THIRUVALLUR	661	8.09	0	0	3	@	0	0	0	0	14	20.73	67	21.42	0	0	0	0			
3	CUDDALORE	1268	6.75	134	27.82	22	27.22	0	0	71	22.26	14	28.48	543	@	1	@	0	0			
4	VILLUPURAM	601	7.01	49	16.18	98	12.74	3	24.51	116	17.39	245	7.57	618	5.58	3	@	21	@			
5	VELLORE	195	4.19	95	6.45	33	12.48	49	21.20	107	10.96	485	5.94	89	13.01	2	@	0	0			
6	THIRUVANNAMALAI	353	4.19	8	17.94	40	9.05	10	10.83	252	25.41	315	9.78	179	7.21	1	@	0	0			
7	SALEM	150	23.80	321	7.48	23	20.71	76	13.59	175	8.06	204	7.55	46	15.30	0	0	12	15.53			
8	NAMAKKAL	28	@	519	8.83	4	19.77	3	25.24	16	@	233	10.16	106	29.29	0	0	10	18.50			
9	DHARMAPURI	86	10.57	186	7.25	5	26.87	140	6.87	202	11.76	80	10.03	47	14.99	0	0	3	24.67			
10	COIMBATORE	5	@	180	13.12	2	@	0	0.00	8	@	45	@	8	@	0	0	18	21.47			
11	ERODE	384	12.83	0	0	2	16.76	117	10.96	1	@	129	18.34	298	7.50	6	5.85	12	18.71			
12	THIRUCHIRAPPALLI	285	11.97	259	12.05	24	@	0	0	150	25.47	66	15.26	27	17.24	1	@	20	26.65			
13	KARUR	92	16.59	207	17.28	8	@	0	0	1	@	12	@	17	29.49	0	0	2	@			
14	PERAMBALUR	8	26.12	28	@	1	@	0	0	462	13.83	10	22.43	45	22.10	0	0	47	27.23			
15	THANJAVUR	1253	5.63	3	28	0	0.00	0	0	0	0	2	@	100	15.44	0	0	0	0			
16	THIRUVARUR	1607	6.01	0	0	0	0	0	0	3	@	1	@	5	30.45	0	0	0	0			
17	NAGAPATTINAM	1604	4.66	0	0	0	0	0	0	0	0	0	0	30	17.68	0	0	0	0			
18	PUDUKKOTTAI	486	9.31	5	@	0	0	0	0	0	0	14	16.03	45	18.85	0	0	0	0			
19	MADURAI	123	16.46	164	@	8	@	0	0	55	14.37	12	25.05	28	22.05	0	0	2	26.43			
20	THENI	93	28.63	104	20.22	11	17.29	0	0	83	19.62	56	14.38	36	18.72	0	0	27	14.84			
21	DINDIGUL	23	@	327	10.24	7	28.90	0	0	38	@	31	16.81	73	@	8	@	11	15.00			
22	RAMANATHAPURAM	879	9.03	17	@	10	@	0	0	2	@	0	0	1	@	0	0	0	0			
23	VIRUDHUNAGAR	53	26.51	143	@	24	@	1	@	108	20.59	19	25.31	23	@	0	0	6	@			
24	SIVAGANGAI	450	11.97	2	26.47	0	0	0	0	1	@	12	@	34	18.27	0	0	0	0			
25	TIRUNELVELI	446	6.16	24	16.14	0	0	0	0	85	24.87	4	@	18	@	0	0	4	19.60			
26	THOOTHUKUDI	3	@	31	@	3	@	0	0	8	@	1	@	1	@	0	0	0	0			
27	KANNIYAKUMARI	106	16.81	0	0	0	0	0	0	0	0	1	@	0	0	0	0	0	0			
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	26.69	0	0			
29	KRISHNAGIRI	91	15.11	77	12	6	@	529	6	35	14	99	15.97	8	18.30	2	28.40	1	@			
30	ARIYALUR	101	18.04	95	@	5	20	0	0	93	30	30	24.99	101	@	0	0	1	28.54			
31	TIRUPUR	41	@	295	17.15	10	@	0	0	3	@	83	@	13	@	0	0	9	30.38			
STATE		11775	2.01	3273	4.13	349	7.40	929	4.33	2075	5.60	2228	3.39	2619	7.36	25	15.44	206	8.84			

Note : %S.E. = Percentage Sampling Error
Area = Estimated area in "00" Hectares
@ = % of S.E. is high, Hence not furnished

Timely Reporting Scheme
Estimated Area under Principal Crops and their Sampling Error
In '00" Hectares

State : Tamil Nadu				Season :Kharif ,Rabi										Year 2014 - 2015									
Sl. No	District	Paddy		Jowar		Bajra		Ragi		Cotton		Groundnut		Sugarcane		Potato		Onion					
		Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE				
1	KANCHEEPURAM	574	10.92	0	0	0	0	1	@	0	0	116	20.66	20	@	0	0	0	0				
2	THIRUVALLUR	929	4.91	0	0	3	@	3	19.73	0	0	52	5.42	68	20.70	0	0	0	0				
3	CUDDALORE	1405	5.83	144	25.09	22	27.22	0	0	87	17.94	99	19.29	579	30.23	1	@	1	@				
4	VILLUPURAM	1192	2.81	75	12.22	103	12.09	9	15.40	121	16.47	392	1.97	780	3.56	3	@	24	@				
5	VELLORE	364	4.29	97	6.31	33	12.48	142	6.80	107	10.93	532	5.01	111	10.06	2	@	0	0				
6	THIRUVANNAMALAI	902	1.66	13	12.73	41	8.79	56	5.60	259	24.80	751	3.59	236	4.59	1	@	1	@				
7	SALEM	261	13.54	451	1.54	24	20.16	126	6.53	180	7.54	243	4.41	69	8.14	0	0	17	4.37				
8	NAMAKKAL	71	14.98	762	0.65	4	18.14	3	23.80	17	@	260	8.36	148	17.29	0	0	17	14.27				
9	DHARMAPURI	171	9.17	190	6.52	7	24.02	185	3.26	212	11.14	110	6.10	65	10.45	0	0	4	17.90				
10	COIMBATORE	9	@	221	9.95	2	@	0	0	9	@	46	@	8	@	0	0	19	20.11				
11	ERODE	491	7.70	0	0	2	16.76	117	10.96	7	9.27	147	14.92	347	5.55	6	5.85	26	6.50				
12	THIRUCHIRAPPALLI	466	7.07	310	8.68	24	@	0	0	156	24.43	88	10.61	33	17.32	1	@	38	23.03				
13	KARUR	122	11.55	239	14.18	8	@	1	24.87	2	14.88	43	8.91	19	25.51	0	0	3	24.71				
14	PERAMBALUR	82	26.00	30	30.55	1	@	0	0	465	13.65	17	4.36	49	18.43	0	0	67	12.06				
15	THANJAVUR	1784	0.20	4	26	0	0	0	0	10	@	71	15.81	103	14.96	0	0	0	0				
16	THIRUVARUR	1633	5.72	0	0	0	0	0	0	3	@	9	@	5	28.32	0	0	0	0				
17	NAGAPATTINAM	1735	3.53	0	0	0	0	0	0	0	0	21	@	30	17.63	0	0	0	0				
18	PUDUKKOTTAI	792	4.36	8	17.94	0	0	0	0	0	0	44	10.61	57	15.75	0	0	0	0				
19	MADURAI	442	9.27	181	27.93	14	@	0	0	59	12.78	19	20.13	30	20.92	0	0	4	27.57				
20	THENI	207	6.19	110	18.87	11	16.90	0	0	135	9.74	75	5.71	38	16.70	0	0	33	9.02				
21	DINDIGUL	174	16.74	561	3.10	10	26.25	0	0	58	19.88	86	7.46	137	@	8	@	28	6.76				
22	RAMANATHAPURAM	1131	5.26	41	@	23	@	4	13.60	12	27.73	41	@	1	@	0	0	3	@				
23	VIRUDHUNAGAR	161	14.83	211	28.20	44	30.10	2	@	140	15.65	38	17.44	24	29.83	0	0	18	28.91				
24	SIVAGANGAI	604	8.03	2	8.29	0	0	3	@	5	@	19	17.37	35	17.68	0	0	0	0				
25	TIRUNELVELI	1404	2.23	25	15.77	0	0	0	0	107	19.52	6	@	25	29.14	0	0	4	18.82				
26	THOOTHUKUDI	122	13.63	203	10.07	146	13.32	1	@	49	24.53	2	@	1	@	0	0	24	@				
27	KANNIYAKUMARI	206	7.60	0	0	0	0	0	0	0	0	1	@	0	0	0	0	0	0				
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
29	KRISHNAGIRI	193	8.47	88	11	6	@	580	6	39	13	113	13.72	10	15.36	7	20.12	2	@				
30	ARIYALUR	210	9.46	95	@	5	19	0	0	97	29	73	13.36	101	@	0	0	1	24.88				
31	TIRUPUR	125	20.58	360	11.83	10	@	0	0	6	22.84	92	@	14	@	0	0	21	4.91				
STATE		17962	1.14	4421	2.74	543	6.21	1233	2.88	2342	4.96	3606	2.20	3143	6.08	31	13.11	355	5.41				

Note : %S.E. = Percentage Sampling Error
Area = Estimated area in "00" Hectares
@ = % of S.E. is high, Hence not furnished

Timely Reporting Scheme
Estimated Area under Principal Crops and their Sampling Error
In '00" Hectares

State : Tamil Nadu **Season : Kharif, Rabi & Summer**

Year 2014 - 2015

Sl. No	District	Paddy		Jowar		Bajra		Ragi		Cotton		Groundnut		Sugarcane		Potato		Onion	
		Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE	Area	%SE
1	KANCHEEPURAM	596	10.42	0	@	0	@	2	@	0	0	126	18.99	23	28.55	0	0	0	0
2	THIRUVALLUR	1062	3.19	3	@	4	28.93	9	7.78	0	0	54	5.51	70	19.98	0	0	0	0
3	CUDDALORE	1486	5.25	146	24.75	22	27.22	1	@	87	17.94	117	17.45	591	29.47	1	@	1	@
4	VILLUPURAM	1340	2.46	81	11.30	106	11.73	17	12.27	125	15.95	403	1.61	840	2.70	3	@	24	@
5	VELLORE	397	4.82	98	6.08	33	12.46	161	5.46	107	10.93	532	5.01	117	9.41	2	@	0	0
6	THIRUVANNAMALAI	1055	3.08	17	9.07	43	8.30	92	0.78	259	24.72	757	3.51	297	2.19	1	@	1	@
7	SALEM	276	12.66	468	1.23	25	19.35	132	6.96	185	7.09	249	4.09	75	11.54	0	0	18	3.19
8	NAMAKKAL	79	12.58	799	3.34	4	18.14	3	23.80	19	@	261	8.18	168	8.75	0	0	17	14.02
9	DHARMAPURI	187	8.05	191	6.50	7	23.82	200	1.11	213	11.03	112	5.47	72	8.72	0	0	5	16.53
10	COIMBATORE	9	@	228	9.30	2	@	0	0	9	@	46	@	9	@	0	0	19	20.01
11	ERODE	510	7.07	0	0	2	16.76	117	10.96	16	4.58	160	13.64	380	3.96	6	5.85	29	5.75
12	THIRUCHIRAPPALLI	489	6.16	321	8.03	24	@	0	0	156	24.43	90	9.91	35	16.33	1	@	39	22.68
13	KARUR	123	10.76	254	13.20	8	@	1	20.40	2	12.32	46	6.75	20	21.62	0	0	3	24.42
14	PERAMBALUR	83	25.31	31	30.34	1	@	0	0	465	13.65	18	6.84	80	25.37	0	0	67	11.83
15	THANJAVUR	1908	2.87	4	26	0	0	0	0	27	@	82	13.21	106	14.44	0	0	0	0
16	THIRUVARUR	1725	4.72	0	0	0	0	0	0	57	17	21	21.41	9	@	0	0	0	0
17	NAGAPATTINAM	1743	3.43	0	0	0	0	0	0	20	25	22	@	30	17.63	0	0	0	0
18	PUDUKKOTTAI	808	4.08	11	12.75	0	0	0	0	1	@	46	10.02	68	17.35	0	0	0	0
19	MADURAI	463	8.48	187	26.45	15	29.75	0	0	60	12.65	20	18.85	30	20.92	0	0	4	27.29
20	THENI	209	4.21	115	17.39	12	16.01	0	0	135	9.74	75	5.70	39	15.91	0	0	34	8.18
21	DINDIGUL	203	13.49	562	3.02	10	25.90	0	0	58	19.84	87	6.90	199	24.24	8	@	29	6.27
22	RAMANATHAPURAM	1131	5.26	42	@	23	@	4	13.60	17	18.40	41	@	1	@	0	0	3	@
23	VIRUDHUNAGAR	191	6.06	212	28.14	44	30.09	2	@	148	14.64	38	17.16	24	29.07	0	0	18	28.91
24	SIVAGANGAI	605	8.02	3	4.29	0	0	3	@	6	28.03	20	16.24	35	17.38	0	0	0	0
25	TIRUNELVELI	1428	2.59	25	15.62	0	0	0	0	111	18.76	17	27.38	27	21.46	0	0	4	18.82
26	THOOTHUKUDI	122	13.63	203	10.07	146	13.32	1	@	54	22.76	3	26.97	1	@	0	0	24	@
27	KANNIYAKUMARI	206	7.59	0	0	0	0	0	0	0	0	1	@	0	0	0	0	0	0
28	THE NILGIRIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	KRISHNAGIRI	226	5.63	92	11	6	@	630	5	39	13	122	13.09	13	15.57	7	18.76	3	@
30	ARIYALUR	214	8.54	95	@	5	19	0	0	97	29	75	11.83	102	@	0	0	1	23.37
31	TIRUPUR	125	20.58	368	11.42	10	@	0	0	6	22.84	93	@	14	@	0	0	28	15.49
STATE		18999	0.94	4556	2.55	552	6.11	1375	2.32	2479	4.70	3734	2.11	3475	5.44	32	12.76	371	5.04

Note : %S.E. = Percentage Sampling Error
Area = Estimated area in "00" Hectares
@ = % of S.E. is high, Hence not furnished

Table - 6.4

TIMELY REPORTING SCHEME

ESTIMATED OF AREA OF LAND STATISTICS Year : 2014- 2015

Sl.No.	District	Forest	Barren and uncultivable	Land put to Non-Agriculture	Cultivable Waste	Permanent pastures	Land under Misc	Current Fallow Lands	Other Fallow Lands	Net Area Sown	Total Geographical Area
1	KANCHEEPURAM	23856	10744	161632	11404	19075	10275	51481	58874	95869	443210
2	THIRUVALLUR	19736	13556	109784	6925	8143	6998	27092	40114	109895	342243
3	CUDDALORE	1415	14623	58750	6226	604	13996	35301	22342	214524	367781
4	VILLUPURAM	71697	56360	136147	9409	3883	6313	82210	16125	340059	722203
5	VELLORE	162286	20404	81205	5750	4037	3035	71262	74102	169937	592018
6	THIRUVANNAMALAI	152810	20544	96522	8400	2931	2036	141186	25952	180824	631205
7	SALEM	125682	38208	64964	4903	4200	2997	56801	16214	206561	520530
8	NAMAKKAL	43909	24539	38719	4760	6664	3767	43425	9256	161680	336719
9	DHARMAPURI	164177	15805	51835	2797	6209	2907	40463	4485	161099	449777
10	COIMBATORE	111871	4744	76526	8619	77	3321	25780	68723	172661	472322
11	ERODE	227511	6074	53198	1731	101	1035	84847	21293	176474	572264
12	THIRUCHIRAPPALLI	36773	12598	85282	19010	659	3175	27625	104928	150333	440383
13	KARUR	6187	2771	37522	65400	10801	2733	38910	47295	77938	289557
14	PERAMBALUR	16281	2786	28662	4128	152	995	6275	10974	105486	175739
15	THANJAVUR	3390	1856	82212	12053	1208	4584	15159	32088	187107	339657
16	THIRUVARUR	2452	0	37483	1158	757	2007	4627	8830	152395	209709
17	NAGAPATTINAM	4633	35175	47744	2094	846	6381	9537	14494	150679	271583
18	PUDUKKOTTAI	23535	9863	129919	9763	5124	26459	25018	120400	116248	466329
19	MADURAI	48473	13031	75495	14500	233	2782	6447	108312	104900	374173
20	THENI	103718	43331	24616	2864	315	1239	9464	25007	113676	324230
21	DINDIGUL	138923	36209	67215	5610	6946	7841	41850	131261	190809	626664
22	RAMANATHAPURAM	4488	4525	87101	3224	154	29421	38450	34244	207350	408957
23	VIRUDHUNAGAR	26466	4525	70514	9535	804	5751	9382	172770	124576	424323
24	SIVAGANGAI	16533	4710	122803	18316	1367	6966	29727	120671	97807	418900
25	TIRUNELVELI	127758	29682	103155	35243	5156	8438	40853	191685	133880	675850
26	THOOTHUKUDI	11012	19878	76480	48045	5132	37571	9269	92965	170372	470724
27	KANNIYAKUMARI	54155	4010	29107	170	104	623	1001	1226	76804	167200
28	THE NILGIRIS	142577	3375	9978	1229	5078	3820	3696	9223	75509	254485
29	KRISHNAGIRI	203964	23937	41904	4343	7853	8347	24671	13532	185775	514326
30	ARIYALUR	739	8523	32392	3218	1291	23280	8663	9606	105686	193398
31	TIRUPUR	48168	2541	68900	3926	126	1984	92719	121578	179617	519559
	STATE	2125175	488927	2187766	334753	110030	241077	1103191	1728569	4696530	13016018

TABLE - 6.5

DISTRICTWISE ESTIMATES OF AREA AS PER TIMELY REPORTING SCHEME & SEASON AND CROP REPORT
(In '00 hec)

Year : 2014-15

Sl. No	DISTRICT	Paddy			Jowar			Bajra		
		As per TRS estimate	As per S&C report	% variation	As per TRS estimate	As per S&C report	% variation	As per TRS estimate	As per S&C report	% variation
1	Kancheepuram	596	619	-3.69	0	0	0	0	0	0
2	Thiruvallur	1062	963	10.23	3	0	0	4	8	-47.78
3	Cuddalore	1486	1347	10.34	146	1	@	22	34	-34.58
4	Villupuram	1340	1715	-21.86	81	8	@	106	174	-39.07
5	Vellore	397	366	8.52	98	70	39.07	33	21	54.78
6	Thiruvannamalai	1055	931	13.28	17	8	119.92	43	61	-29.68
7	Salem	276	193	42.69	468	475	-1.37	25	11	126.65
8	Namakkal	79	104	-24.16	799	860	-7.08	4	3	44.93
9	Dharmapuri	187	183	2.17	191	174	9.99	7	6	9.20
10	Coimbatore	9	22	-58.45	228	285	-19.88	2	1	98.02
11	Erode	510	372	37.13	0	0	0	2	1	102.02
12	Tiruchirapalli	489	513	-4.63	321	323	-0.60	24	12	99.83
13	Karur	123	134	-8.52	254	260	-2.25	8	5	53.55
14	Perambalur	83	90	-7.72	31	22	43.19	1	1	0
15	Thanjavur	1908	1778	7.34	4	0	0	0	0	0
16	Thiruvallur	1725	1926	-10.44	0	0	0	0	0	0
17	Nagapattinam	1743	1595	9.28	0	0	0	0	0	0
18	Pudukottai	808	672	20.17	11	4	162.53	0	0	0
19	Madurai	463	477	-2.97	187	155	20.47	15	22	-32.71
20	Theni	209	138	50.99	115	99	16.46	12	15	-18.70
21	Dindigul	203	121	68.17	562	575	-2.27	10	10	5.15
22	Ramanathapuram	1131	1169	-3.22	42	40	4.50	23	13	80.96
23	Virudhunagar	191	196	-2.60	212	164	28.91	44	39	13.96
24	Sivagangai	605	651	-7.05	3	4	-17.58	0	0	0
25	Tirunelveli	1428	848	68.35	25	22	15.96	0	2	0
26	Thoothukudi	122	163	-25.07	203	181	12.11	146	128	14.01
27	Kanyakumari	206	131	57.25	0	0	0	0	0	0
28	The Nilgiris	0	0	0	0	0	0	0	0	0
29	Krishnagiri	226	193	17.32	92	44	108.38	6	3	123.88
30	Ariyalur	214	231	-7.39	95	8	@	5	7	-30.65
31	Tiruppur	125	108	16.00	368	370	-0.47	10	1	@
STATE		18999	17949	5.85	4556	4151	9.76	552	577	-4.33

Note : @ - Percentage variation is very high.

TABLE - 6.5

DISTRICTWISE ESTIMATES OF AREA AS PER TIMELY REPORTING SCHEME & SEASON AND CROP REPORT

(In '00 hec)

Year : 2014-15

Sl. No	DISTRICT	Ragi			Cotton			Groundnut		
		As per TRS estimate	As per S&C report	% variation	As per TRS estimate	As per S&C report	% variation	As per TRS estimate	As per S&C report	% variation
1	Kancheepuram	2	2	-6.98	0	0	0	126	109	15.49
2	Thiruvallur	9	12	-27.36	0	0	0	54	69	-21.80
3	Cuddalore	1	1	-26.47	87	70	24.68	117	114	2.88
4	Villupuram	17	46	-63.06	125	99	26.45	403	332	21.39
5	Vellore	161	90	79.53	107	86	23.80	532	377	41.00
6	Thiruvannamalai	92	61	51.39	259	4	@	757	705	7.43
7	Salem	132	93	42.04	185	158	17.45	249	207	20.20
8	Namakkal	3	4	-20.00	19	24	-19.66	261	289	-9.54
9	Dharmapuri	200	239	-16.40	213	117	82.35	112	84	33.14
10	Coimbatore	0	0	0.00	9	4	105.01	46	46	0.26
11	Erode	117	57	107.04	16	11	46.12	160	201	-20.41
12	Tiruchirapalli	0	0	0	156	173	-9.74	90	85	5.56
13	Karur	1	2	-33.33	2	1	36.05	46	46	0.13
14	Perambalur	0	0	0	465	400	16.11	18	15	24.05
15	Thanjavur	0	0	0	27	21	29.06	82	41	101.52
16	Thiruvarur	0	0	0	57	52	10.53	21	17	26.58
17	Nagapattinam	0	0	0	20	24	-14.89	22	16	37.41
18	Pudukottai	0	0	0	1	1	0	46	59	-21.62
19	Madurai	0	0	0	60	64	-5.78	20	26	-22.15
20	Theni	0	0	0	135	29	372.52	75	19	295.15
21	Dindigul	0	1	0	58	50	15.68	87	80	8.45
22	Ramanathapuram	4	5	-19.84	17	20	-14.96	41	31	31.96
23	Virudhunagar	2	1	35.14	148	133	11.64	38	58	-34.90
24	Sivagangai	3	3	10.29	6	5	10.91	20	23	-11.27
25	Tirunelveli	0	1	0	111	61	83.29	17	18	-5.40
26	Thoothukudi	1	0	0	54	74	-26.64	3	8	-63.46
27	Kanyakumari	0	0	0	0	0	0	1	0	0
28	The Nilgiris	0	0	0	0	0	0	0	0	0
29	Krishnagiri	630	426	48.06	39	46	-15.82	122	124	-1.76
30	Ariyalur	0	0	0	97	133	-27.07	75	90	-16.36
31	Tiruppur	0	0	0	6	9	-30.23	93	78	19.46
STATE		1375	1044	31.70	2479	1867	32.78	3734	3365	10.97

Note : @- Percentage variation is very high.

TABLE - 6.5

DISTRICTWISE ESTIMATES OF AREA AS PER TIMELY REPORTING SCHEME & SEASON AND CROP REPORT

Year : 2014-15

(In ' 00 hec)

Sl. No	DISTRICT	Sugarcane			Potato			Onion		
		As per TRS estimate	As per S&C report	% variation	As per TRS estimate	As per S&C report	% variation	As per TRS estimate	As per S&C report	% variation
1	Kancheepuram	23	19	24.19	0	0	0	0	0	0
2	Thiruvallur	70	73	-3.89	0	0	0	0	0	0
3	Cuddalore	591	276	114.29	1	0	0	1	1	58.73
4	Villupuram	840	798	5.30	3	0	0	24	2	@
5	Vellore	117	88	32.55	2	0	0	0	1	0
6	Thiruvannamalai	297	251	18.56	1	0	0	1	1	17.65
7	Salem	75	94	-20.55	0	0	0	18	11	68.70
8	Namakkal	168	168	-0.29	0	0	0	17	19	-9.04
9	Dharmapuri	72	60	20.32	0	0	0	5	2	128.31
10	Coimbatore	9	12	-22.28	0	0	0	19	11	74.63
11	Erode	380	212	79.19	6	4	59.15	29	13	120.20
12	Tiruchirapalli	35	31	13.71	1	0	0	39	33	18.40
13	Karur	20	25	-21.45	0	0	0	3	4	-31.97
14	Perambalur	80	60	32.41	0	0	0	67	64	4.28
15	Thanjavur	106	95	11.59	0	0	0	0	0	0
16	Thiruvarur	9	7	38.04	0	0	0	0	0	0
17	Nagapattinam	30	30	0.0	0	0	0	0	0	0
18	Pudukottai	68	52	30.92	0	0	0	0	0	0
19	Madurai	30	29	1.83	0	0	0	4	5	-25.51
20	Theni	39	48	-18.70	0	0	0	34	11	205.76
21	Dindigul	199	19	@	8	21	-61.11	29	24	19.93
22	Ramanathapuram	1	38	-97.40	0	0	0	3	2	44.23
23	Virudhunagar	24	27	-11.60	0	0	0	18	12	44.93
24	Sivagangai	35	38	-7.51	0	0	0	0	1	0
25	Tirunelveli	27	38	-28.97	0	0	0	4	19	-78.96
26	Thoothukudi	1	30	-96.68	0	0	0	24	13	83.21
27	The Nilgiris	0	12	0	0	0	0	0	0	0
28	Kanyakumari	0	0	0	3	12	-75.31	0	0	0
29	Krishnagiri	13	5	142.09	7	11	-35.19	3	1	279.75
30	Ariyalur	102	75	35.96	0	0	0	1	1	0
31	Tiruppur	14	29	-52.41	0	0	0	28	30	-5.72
STATE		3475	2739	26.87	32	47	-31.91	371	281	32.03

Note : @- Percentage variation is very high.

Table 6.6
Paddy area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	16670	15165	9.92 ✓
	2	2003-04	16651	13967	19.22 ✓
	3	2004-05	20311	18728	8.45 ✓
	4	2005-06	22486	20504	9.67 ✓
	5	2006-07	19391	19313	0.40 ✓
8th	1	2007-08	18793	17891	5.04 ✓
	2	2008-09	21123	19316	9.35 ✓
	3	2009-10	19799	18455	7.28 ✓
	4	2010-11	20615	19057	8.18 ✓
	5	2011-12	20394	19038	7.12 ✓
9th	1	2012-13	16044	14933	7.43 ✓
	2	2013-14	16798	17257	-2.66 ✓
	3	2014-15	18999 ✓	17949 ✓	5.85 ✓




Table 6.6
Jowar area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	3337	3196	4.41 ✓
	2	2003-04	4982	4016	24.05 ✓
	3	2004-05	4542	3767	20.57 ✓
	4	2005-06	4258	3163	34.62 ✓
	5	2006-07	3419	2943	16.17 ✓
8th	1	2007-08	3370	2835	18.87 ✓
	2	2008-09	3040	2589	17.42 ✓
	3	2009-10	2584	2385	8.34 ✓
	4	2010-11	2797	2435	14.87 ✓
	5	2011-12	2638	1977	33.43 ✓
9th	1	2012-13	2298	2109	8.96 ✓
	2	2013-14	3432	3471	-1.12 ✓
	3	2014-15	4556 ✓	4151 ✓	9.76 ✓




Table 6.6
Bajra area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	1149	1020	12.65 ✓
	2	2003-04	1551	1589	-2.39 ✓
	3	2004-05	1097	976	12.40 ✓
	4	2005-06	1013	819	23.69 ✓
	5	2006-07	647	655	-1.22 ✓
8th	1	2007-08	569	598	-4.85 ✓
	2	2008-09	563	567	-0.71 ✓
	3	2009-10	472	544	-13.24 ✓
	4	2010-11	621	495	25.45 ✓
	5	2011-12	646	466	38.44 ✓
9th	1	2012-13	489	429	13.98 ✓
	2	2013-14	605	544	11.21 ✓
	3	2014-15	552	577	-4.33 ✓




Table 6.6
Ragi area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	1617	1042	55.18 ✓
	2	2003-04	1550	1184	30.91 ✓
	3	2004-05	1653	1088	51.93 ✓
	4	2005-06	1626	995	63.42 ✓
	5	2006-07	1335	954	39.94 ✓
8th	1	2007-08	1657	937	76.84 ✓
	2	2008-09	1400	901	55.38 ✓
	3	2009-10	1444	823	75.46 ✓
	4	2010-11	1145	757	51.25 ✓
	5	2011-12	988	825	19.76 ✓
9th	1	2012-13	744	703	5.83 ✓
	2	2013-14	1096	1187	-7.67 ✓
	3	2014-15	1375	1044	31.70 ✓




Table 6.6
Cotton area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	948	755	25.56 ✓
	2	2003-04	1088	978	11.25 ✓
	3	2004-05	1504	1294	16.23 ✓
	4	2005-06	1326	1097	20.88 ✓
	5	2006-07	1110	1003	10.67 ✓
8th	1	2007-08	1201	993	20.95 ✓
	2	2008-09	1298	1145	13.36 ✓
	3	2009-10	1219	1041	17.10 ✓
	4	2010-11	1347	1208	11.51 ✓
	5	2011-12	1492	1358	9.86 ✓
9th	1	2012-13	1423	1332	6.83 ✓
	2	2013-14	1566	1509	3.78 ✓
	3	2014-15	2479 ✓	1866 ✓	32.85 ✓




Table 6.6
Groundnut area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	5029	5020	0.18 ✓
	2	2003-04	6536	5917	10.46 ✓
	3	2004-05	6959	6159	12.99 ✓
	4	2005-06	6578	6188	6.30 ✓
	5	2006-07	5421	5080	6.71 ✓
8th	1	2007-08	5890	5352	10.05 ✓
	2	2008-09	5392	4898	10.09 ✓
	3	2009-10	3921	4130	-5.06 ✓
	4	2010-11	4033	3855	4.62 ✓
	5	2011-12	4033	3856	4.95 ✓
9th	1	2012-13	3384	3394	-0.29 ✓
	2	2013-14	3401	3366	1.04 ✓
	3	2014-15	3734	3365	10.97 ✓




Table 6.6
Sugarcane area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	3171	2614	21.31 ✓
	2	2003-04	2466	1921	28.37 ✓
	3	2004-05	2824	2222	27.09 ✓
	4	2005-06	3836	3354	14.37 ✓
	5	2006-07	4287	4041	6.09 ✓
8th	1	2007-08	4255	3540	20.20 ✓
	2	2008-09	3768	3088	22.02 ✓
	3	2009-10	3199	2933	9.07 ✓
	4	2010-11	3478	3160	10.06 ✓
	5	2011-12	4067	3464	17.41 ✓
9th	1	2012-13	3570	3484	2.47 ✓
	2	2013-14	3208	3133	2.39 ✓
	3	2014-15	3475	2630 2730 ✓	26.87 26.87 ✓

32.13




Table 6.6
Potato area as per TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	82	45	82.22 ✓
	2	2003-04	125	43	190.70 ✓
	3	2004-05	55	50	10.00 ✓
	4	2005-06	22	50	-56.00 ✓
	5	2006-07	22	51	-56.86 ✓
8th	1	2007-08	25	40	-37.50 ✓
	2	2008-09	98	44	122.72 ✓
	3	2009-10	49	46	6.52 ✓
	4	2010-11	62	46	34.78 ✓
	5	2011-12	44	47	-6.38 ✓
9th	1	2012-13	108	44	145.45 ✓
	2	2013-14	145	59	145.76 ✓
	3	2014-15	32 ✓	47 ✓	-31.91 ✓




Table 6.6
Onion area asper TRS(estimates) and S&C report

Round	Cycle	Year	TRS	S&C	% Variation
7th	1	2002-03	269	234	14.96 ✓
	2	2003-04	287	235	22.13 ✓
	3	2004-05	322	265	21.51 ✓
	4	2005-06	326	292	11.64 ✓
	5	2006-07	400	295	35.59 ✓
8th	1	2007-08	330	298	10.74 ✓
	2	2008-09	262	302	- 13.25
	3	2009-10	338	310	9.03 ✓
	4	2010-11	394	320	23.13 ✓
	5	2011-12	354	349	1.43 ✓
9th	1	2012-13	314	240	30.83 ✓
	2	2013-14	265	249	6.43 ✓
	3	2014-15	371	281	32.03 ✓

